

R-64

UNPUBLISHED PRELIMINARY DATA X63 159052

NATIONAL BUREAU OF STANDARDS REPORT

1/p.

~~code 2A~~
code 2d

8085

NASA CR 51646

OBSERVATION OF FeO IN ABSORPTION BY FLASH HEATING
AND KINETIC SPECTROSCOPY

by

Arnold M. Bass

~~Available to NASA Offices and
U. S. Government Contractors Only.
NASA GROUPS ONLY~~

Technical Report
to
National Aeronautics and Space Administration
Washington, D. C.

~~Available to NASA Offices and
U. S. Government Contractors Only~~



U. S. DEPARTMENT OF COMMERCE
NATIONAL BUREAU OF STANDARDS

THE NATIONAL BUREAU OF STANDARDS

Functions and Activities

The functions of the National Bureau of Standards include the development and maintenance of the national standards of measurement and the provision of means and methods for making measurements consistent with these standards; the determination of physical constants and properties of materials; the development of methods and instruments for testing materials, devices, and structures; advisory services to government agencies on scientific and technical problems; invention and development of devices to serve special needs of the Government; and the development of standard practices, codes, and specifications, including assistance to industry, business and consumers in the development and acceptance of commercial standards and simplified trade practice recommendations. The work includes basic and applied research, development, engineering, instrumentation, testing, evaluation, calibration services, and various consultation and information services. Research projects are also performed for other government agencies when the work relates to and supplements the basic program of the Bureau or when the Bureau's unique competence is required. The scope of activities is suggested by the listing of divisions and sections on the inside of the back cover.

Publications

The results of the Bureau's research are published either in the Bureau's own series of publications or in the journals of professional and scientific societies. The Bureau itself publishes three periodicals available from the Government Printing Office: The Journal of Research, published in four separate sections, presents complete scientific and technical papers; the Technical News Bulletin presents summary and preliminary reports on work in progress; and Central Radio Propagation Laboratory Ionospheric Predictions provides data for determining the best frequencies to use for radio communications throughout the world. There are also seven series of nonperiodical publications: Monographs, Applied Mathematics Series, Handbooks, Miscellaneous Publications, Technical Notes, Commercial Standards, and Simplified Practice Recommendations.

A complete listing of the Bureau's publications can be found in National Bureau of Standards Circular 460, Publications of the National Bureau of Standards, 1901 to June 1947 (\$1.25), and the Supplement to National Bureau of Standards Circular 460, July 1947 to June 1957 (\$1.50), and Miscellaneous Publication 240, July 1957 to June 1960 (includes Titles of Papers Published in Outside Journals 1950 to 1959) (\$2.25); available from the Superintendent of Documents, Government Printing Office, Washington, D.C., 20402.

CASE FILE COPY

NATIONAL BUREAU OF STANDARDS REPORT

NBS PROJECT

0300-11-03521

September 13, 1963

(NBS REPORT

(NBS -8085)

(NASA CR-51646)

OBSERVATION OF FeO IN ABSORPTION BY FLASH HEATING
AND KINETIC SPECTROSCOPY

by

Arnold M. Bass

et al Sept. 13, 1963 16 pages

Submitted for Publication

~~Available to NASA Offices and
NASA Centers Only.~~

Technical Report

to

National Aeronautics and Space Administration
Washington, D. C.

(NASA Order No. R-64) NBS Proj. 0300-11-03521

IMPORTANT NOTICE

NATIONAL BUREAU OF STANDARDS REPORTS are usually preliminary or progress accounting documents intended for use within the Government. Before material in the reports is formally published it is subjected to additional evaluation and review. For this reason, the publication, reprinting, reproduction, or open-literature listing of this Report, either in whole or in part, is not authorized unless permission is obtained in writing from the Office of the Director, National Bureau of Standards, Washington 25, D.C. Such permission is not needed, however, by the Government agency for which the Report has been specifically prepared if that agency wishes to reproduce additional copies for its own use.

NBS

U. S. DEPARTMENT OF COMMERCE

NATIONAL BUREAU OF STANDARDS

1600 Building Ave., D.C.

2034003

Preface

The work described in this report was done by the author in collaboration with Dr. L. Nelson and Mr. N. Keubler. The initial experiments -- in the ultraviolet region of the spectrum -- were performed at the Bell Telephone Laboratories, Murray Hill, New Jersey; the experiments in the visible region of the spectrum were performed at the National Bureau of Standards, Washington, D. C. A manuscript based upon this report will be submitted for publication in the Journal of Chemical Physics under the joint authorship of A. M. Bass, N. A. Keubler, and L. S. Nelson.

**Available to NASA Offices and
NASA Centers Only.**

OBSERVATION OF FeO IN ABSORPTION BY FLASH HEATING
AND KINETIC SPECTROSCOPY

Arnold M. Bass*

National Bureau of Standards, Washington, D. C.

N. A. Kuebler

Bell Telephone Laboratories, Murray Hill, New Jersey

and

L. S. Nelson

Sandia Laboratory, Albuquerque, New Mexico

The emission spectrum of the diatomic oxide, FeO, has been studied for a number of years.¹ In extending these studies, several new ways to produce the spectrum in absorption have been examined recently. We report here on the use of flash heating and kinetic spectroscopy² for the excitation of the orange system A and B bands of FeO in absorption, and a diffuse absorption feature in the 2410-2430 Å region during the direct reaction of metallic iron with gaseous oxygen.

The orange A and B band spectrum of the FeO molecule has been recorded in emission from flames by Howell and Rochester³ and Garger,⁴ from exploding wires by Rosen,⁵ and during the flash

* Work supported in part by the National Aeronautics and Space Administration.

photolysis-induced explosion of iron pentacarbonyl-oxygen mixtures by Erhard.⁶ In flash photolysis experiments with ferrocene-oxygen and iron pentacarbonyl-oxygen explosions, Callear and Norrish⁷ have observed the orange bands both in emission and absorption, several strong FeO bands in emission in the 8000-10,000 Å region, several unidentified features, and a new, rather diffuse feature in emission and absorption lying between 2410 and 2430 Å that has been attributed on chemical grounds to FeO.

Delsemme and Rosen⁸ and Malet and Rosen⁹ have made assignments of the energy levels involved in the discrete banded spectra of FeO.

The flash heating technique uses an intense light pulse from a capacitor discharge lamp to induce rapid high temperature reactions at the surface of a solid of high specific area.¹⁰ Photographic absorption spectra of thermally produced species are recorded through the heated volume by flash spectroscopy¹¹ after an appropriate delay. The absorption spectrum of PbO recorded this way has been reported previously.¹²

EXPERIMENTAL

Metallic iron was suspended in the optical path either as one meter of 13μ diameter wire wound on a rectangular frame of thin quartz rod,² or as 10 strips of 3 mm by 2 cm by 13μ foil held in a step-type quartz holder.¹³ Cylinder oxygen was passed slowly through the quartz cell at pressures between 50 Torr and atmospheric.

An Edgerton, Germeshausen, and Grier Corporation "Sun Flash"

capacitor bank, capable of delivering 10,400 joules at 4 kv, was discharged through a helical heating lamp similar to the General Electric Company FT-625. The thermal output has been described earlier.¹⁴

The following wavelength regions were studied: (1) 1800 to 3000 A, in order to observe the diffuse feature near 2400 A; (2) 4400 to 5200 A, in order to observe, if possible, the weak blue C system; and (3) 5200 to 6000 A, in order to detect the orange A and B system. A 2-meter evacuable spectrograph with a 600 line/mm grating (plate factor 7.51 A/mm) was used for region (1)²; a Baird Associates Eagle-mount 2-meter spectrograph with a 1440 line/mm grating (plate factor 3.1 A/mm) was used for regions (2) and (3). Both gratings were used in the first order. A Lyman-type background source, fired at 3.75 μ f and 10 kv, was used for region (1); a small sealed-off quartz lamp, operated at 3.75 μ f and 8.5 kv, was used for regions (2) and (3). Both lamps were controlled with a thyatron circuit.¹⁵ Eastman Kodak 35mm SWR film or Ilford Q-2 plates were used for region (1); Eastman Kodak 35mm Tri-X film was used for regions (2) and (3).

RESULTS

The most intense absorption of FeO was recorded about 4 to 5 msec after the start of the heating flash (duration about 3 msec). The absorption of atomic iron was most intense at 2 to 3 msec, with hardly any FeO detectable then. Very little discrete absorption was

observed before 2 msec or after 6 msec. It should be noted that these appearance times for FeO in the combustion of solid iron in oxygen are about 10 times greater than those observed in the homogeneous explosions of ferrocene-oxygen⁷ and iron pentacarbonyl-oxygen^{6,7} mixtures.

In region (3), the A(0,0)i, A(0,0)ii and B(0,0) bands of the orange system at 5614.0, 5582.8, and 5789.8 Å, respectively, were clearly detected in absorption, as well as a great deal of fine structure throughout this region. Only a few iron absorption lines appeared here since relatively few lines that arise from low-lying atomic states fall in region (3).

In region (2), more iron absorption lines appeared, but the blue C system could not be detected in absorption, even though the lower state is said to be common with the A and B systems.

A great many iron absorption lines appeared in region (1); also the broad diffuse absorption feature at approximately 2420 Å. However, the absorption feature showed no step-wise structure of the type seen in Callear and Norrish's Figure 16.

A continuous darkening of the film appeared in every exposure in regions (2) and (3) where iron and oxygen were present in the cell simultaneously. Instrumental scattered light was eliminated as a possible source of the continuum. In a separate study, high-speed motion pictures (15,000 fps)¹⁶ of iron grids flashed in air at atmospheric pressure showed first a brilliant thermal emission from liquid metal droplets that lasts for about 4 msec after the

start of the heating flash, and a brilliant diffuse background emission that began about 7 msec after the start of the heating flash. In nitrogen, the thermal emission from the droplets was seen for about the same length of time, but the background emission was absent. Thus, the undesirable film darkening seems to arise from an incandescence from both liquid metal droplets and very fine hot oxide particles. This incandescent emission was not observed at the short wavelength end of the spectrum (region 1).

After each experiment, a heavy deposit of orange-red powder was found on the holders and on the cell walls near the reaction zone. Also, in those experiments in which iron foil was used, solidified black droplets of 0.5 to 1.0 mm diameter were found adhering strongly to the holders and cell walls. Presumably, the orange-red powder is Fe_2O_3 , while the black material is a mixture of iron and FeO , not unlike that formed on iron meteorites.

The conclusions that can be drawn from these experiments are as follows: (1) the flash heating technique can be used to produce absorption spectra of metal oxides relatively simply by the direct reaction of the metal with gaseous oxygen; (2) the lower state of the A and B bands of FeO is confirmed as the ground state, since it has been observed in absorption in both the homogeneous ferrocene and carbonyl explosions and the heterogeneous iron-oxygen reaction; (3) even though the ultraviolet spectrum we observed differs greatly in appearance from that observed by Callear and Norrish,

the feature at 2410-2430 Å seems to occur also in the direct reaction of iron and oxygen, and apparently involves the ground state; and (4) an incandescent cloud of hot iron oxide particles is formed a few milliseconds after the spectrum of the FeO molecule is observed.

REFERENCES

1. (a) A. M. Bass and W. S. Benedict, *Astrophys. J.* 116, 652 (1953).
(b) R. K. Dhumwad and A. M. Bass, unpublished results.
2. L. S. Nelson and N. A. Kuebler, *J. Chem. Phys.* 37, 47 (1962).
3. H. G. Howell and G. D. Rochester, *Proc. Univ. Durham Phil. Soc.* 9, 126 (1934).
4. K. S. Garger, *Zhur. Tekh. Fiz.* 22, 606 (1952).
5. B. Rosen, *Nature* 156, 570 (1945).
6. K. Erhard, *Chimia* 15, 400 (1961); *Z. Physik. Chem. N. F.* (Frankfurt) 36, 126 (1963).
7. A. B. Callear and R. G. W. Norrish, *Proc. Roy. Soc. (London)* A259, 304 (1960).
8. A. Delsemme and B. Rosen, *Bull. Soc. Roy. Sci. Liege* 14, 70 (1945).
9. L. Malet and B. Rosen, *Bull. Soc. Roy. Sci. Liege* 14, 377 (1945).
10. L. S. Nelson and J. L. Lundberg, *J. Phys. Chem.* 63, 433 (1959).
11. G. Porter, *Proc. Roy. Soc. (London)* A200, 284 (1950).
12. J. G. Kay, N. A. Kuebler, and L. S. Nelson, *Nature* 194, 671 (1962).
13. L. S. Nelson and N. A. Kuebler, *Appl. Optics* 1, 775 (1962).
14. N. A. Kuebler and L. S. Nelson, *J. Opt. Soc. Amer.* 51, 1411 (1961).
15. J. H. Callomon and D. A. Ramsay, *Can. J. Phys.* 35, 129 (1957).
16. L. S. Nelson and N. A. Kuebler, *Rev. Sci. Instr.*, 34, 806 (1963).

U. S. DEPARTMENT OF COMMERCE

Luther H. Hodges, Secretary

NATIONAL BUREAU OF STANDARDS

A. V. Astin, Director



THE NATIONAL BUREAU OF STANDARDS

The scope of activities of the National Bureau of Standards at its major laboratories in Washington, D.C., and Boulder, Colorado, is suggested in the following listing of the divisions and sections engaged in technical work. In general, each section carries out specialized research, development, and engineering in the field indicated by its title. A brief description of the activities, and of the resultant publications, appears on the inside of the front cover.

WASHINGTON, D. C.

Electricity. Resistance and Reactance. Electrochemistry. Electrical Instruments. Magnetic Measurements. Dielectrics. High Voltage. Absolute Electrical Measurements.

Metrology. Photometry and Colorimetry. Refractometry. Photographic Research. Length. Engineering Metrology. Mass and Volume.

Heat. Temperature Physics. Heat Measurements. Cryogenic Physics. Equation of State. Statistical Physics.

Radiation Physics. X-ray. Radioactivity. Radiation Theory. High Energy Radiation. Radiological Equipment. Nucleonic Instrumentation. Neutron Physics.

Analytical and Inorganic Chemistry. Pure Substances. Spectrochemistry. Solution Chemistry. Standard Reference Materials. Applied Analytical Research. Crystal Chemistry.

Mechanics. Sound. Pressure and Vacuum. Fluid Mechanics. Engineering Mechanics. Rheology. Combustion Controls.

Polymers. Macromolecules: Synthesis and Structure. Polymer Chemistry. Polymer Physics. Polymer Characterization. Polymer Evaluation and Testing. Applied Polymer Standards and Research. Dental Research.

Metallurgy. Engineering Metallurgy. Metal Reactions. Metal Physics. Electrolysis and Metal Deposition.

Inorganic Solids. Engineering Ceramics. Glass. Solid State Chemistry. Crystal Growth. Physical Properties. Crystallography.

Building Research. Structural Engineering. Fire Research. Mechanical Systems. Organic Building Materials. Codes and Safety Standards. Heat Transfer. Inorganic Building Materials. Metallic Building Materials.

Applied Mathematics. Numerical Analysis. Computation. Statistical Engineering. Mathematical Physics. Operations Research.

Data Processing Systems. Components and Techniques. Computer Technology. Measurements Automation. Engineering Applications. Systems Analysis.

Atomic Physics. Spectroscopy. Infrared Spectroscopy. Far Ultraviolet Physics. Solid State Physics. Electron Physics. Atomic Physics. Plasma Spectroscopy.

Instrumentation. Engineering Electronics. Electron Devices. Electronic Instrumentation. Mechanical Instruments. Basic Instrumentation.

Physical Chemistry. Thermochemistry. Surface Chemistry. Organic Chemistry. Molecular Spectroscopy. Elementary Processes. Mass Spectrometry. Photochemistry and Radiation Chemistry.

Office of Weights and Measures.

BOULDER, COLO.

CRYOGENIC ENGINEERING LABORATORY

Cryogenic Processes. Cryogenic Properties of Solids. Cryogenic Technical Services. Properties of Cryogenic Fluids.

CENTRAL RADIO PROPAGATION LABORATORY

Ionosphere Research and Propagation. Low Frequency and Very Low Frequency Research. Ionosphere Research. Prediction Services. Sun-Earth Relationships. Field Engineering. Radio Warning Services. Vertical Soundings Research.

Troposphere and Space Telecommunications. Data Reduction Instrumentation. Radio Noise. Tropospheric Measurements. Tropospheric Analysis. Spectrum Utilization Research. Radio-Meteorology. Lower Atmosphere Physics.

Radio Systems. Applied Electromagnetic Theory. High Frequency and Very High Frequency Research. Frequency Utilization. Modulation Research. Antenna Research. Radiodetermination.

Upper Atmosphere and Space Physics. Upper Atmosphere and Plasma Physics. High Latitude Ionosphere Physics. Ionosphere and Exosphere Scatter. Airglow and Aurora. Ionospheric Radio Astronomy.

RADIO STANDARDS LABORATORY

Radio Standards Physics. Frequency and Time Disseminations. Radio and Microwave Materials. Atomic Frequency and Time-Interval Standards. Radio Plasma. Microwave Physics.

Radio Standards Engineering. High Frequency Electrical Standards. High Frequency Calibration Services. High Frequency Impedance Standards. Microwave Calibration Services. Microwave Circuit Standards. Low Frequency Calibration Services.

Joint Institute for Laboratory Astrophysics-NBS Group (Univ. of Colo.).